

NO. OF CORES	NOMINAL CROSS SECTIONAL AREA	AWG, approx.	NOMINAL OVERALL DIAMETER	NOMINAL WEIGHT kg/km
1	1.5	16	6.4	63
1	2.5	14	7.1	76
1	4	12	8.1	107
1	6	10	8.85	140
1	10	8	10.7	213
1	16	6	12.1	291
1	25	4	14.25	415
1	35	2	16.1	539
1	50	1	18.55	740
1	70	2/0	20.95	989
1	95	3/0	23.4	1290
1	120	4/0	25.7	1592
1	150	300 kcmil	28.3	1957
1	185	350 kcmil	31	2350
1	240	500 kcmil	34.45	3099
1	300	600 kcmil	37.7	3687
1	400	750 kcmil	42.1	4850
1	500	1000 kcmil	46.65	5998
2	1	18	8.85	112
2	1.5	16	9.75	135
2	2.5	14	11.65	190
2	4	12	13.45	255
2	6	10	14.95	335
2	10	8	20.15	590
2	16	6	22.95	821
2	25	4	27.5	1172
3	1	18	9.5	125
3	1.5	16	10.55	129
3	2.5	14	12.45	250
3	4	12	14.45	330
3	6	10	16.05	440
3	10	8	21.65	800
3	16	6	24.7	1150
3	25	4	29.55	1680
3	35	2	33.2	2170
4	1	18	10.55	170
4	1.5	16	11.65	196
4	2.5	14	13.8	275
4	4	12	15.95	388
4	6	10	17.85	515
4	10	8	23.7	882
4	16	6	26.95	1234
4	25	4	32.75	1811
4	35	2	36.8	2365
4	50	1	42.6	3212
4	70	2/0	48.35	4320
4	95	3/0	54.7	5572
4	120	4/0	59.5	6930
4	150	300 kcmil	65.5	8419
4	185	350 kcmil	72	10165
4	240	500 kcmil	81.5	13420
5	1	18	11.65	205
5	1.5	16	12.8	242
5	2.5	14	15.15	341
5	4	12	17.75	495
5	6	10	19.85	642
5	10	8	26	1090
5	16	6	29.85	1534
5	25	4	36.2	2291
5	35	2	39.5	2700
5	50	1	44.2	3730
5	70	2/0	50.4	5022
5	95	3/0	56.2	6520
5	120	4/0	64.1	8080
5	150	300 kcmil	70.1	8660
7	1.5	16	16.7	355
12	1.5	16	20	660
19	1.5	16	27.5	788
27	1.5	16	31.5	1077
37	1.5	16	36.5	1358